

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	7	((drive driving) with (voltage) with (sense measure measuring sensing)) same (inkjet ink-jet (ink adj jet)) and ((correct correcting adjust) same voltage) and (formula equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:15
L6	127	((print printing) with (testing test)) same ((drive driving) with (voltage current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:34
L7	1	"20020036669".pn. and (memory storage rom ram eeprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:35
L8	1	"20020167558".pn. and (memory storage rom ram eeprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:36
L9	29	(US-20010007457-\$ or US-20010038396-\$ or US-20010055042-\$ or US-20030146742-\$ or US-20030189609-\$ or US-20040036724-\$ or US-20040055508-\$ or US-20040080596-\$ or US-20040085384-\$ or US-20040113961-\$ or US-20040189732-\$ or US-20050168512-\$ or US-20020167558-\$).did. or (US-6067100-\$ or US-6412937-\$ or US-6443570-\$ or US-6523926-\$ or US-6559227-\$ or US-6631969-\$ or US-6649279-\$ or US-6739714-\$ or US-6806925-\$ or US-6811241-\$ or US-6897466-\$ or US-6918644-\$ or US-6116713-\$ or US-5821953-\$ or US-5760799-\$ or US-6398331-\$). did.	US-PGPUB; USPAT	OR	ON	2005/12/22 13:47
L10	15	9 and (dyeing dye agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:48

L11	11	9 and (dyeing dye agent) with ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:53
L12	2	9 and ((dyeing dye agent) with ink) and (\$head same (inspection inspecting inspect))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 13:54
S55	2	"20050168512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:52
S56	75	head same ink with (oil uv ultra-violet (ultra adj violet) colorless) and (inkjet ink-jet (ink adj jet)) and "347".clas. and (waveform (wave adj form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:25
S57	86	head and ink and (inkjet ink-jet (ink adj jet)) and "347".clas. and (waveform (wave adj form)) same measure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:25
S58	180	(driving drive) same (voltage) same (correct\$3 adjust) and ink and ((measure detect sense) same (voltage)) and "347".clas. and (ink same dye\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:25
S59	67	(driving drive) same (waveform (wave adj form)) same (correct\$3 adjust) and ink and ((measure detect sense) same (waveform (wave adj form)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:25
S60	124	ink with (oil and (uv ultra-violet (ultra adj violet))) and "347".clas.	USPAT	OR	ON	2005/12/12 08:25
S61	70	347/10.ccls. and ((equation formula) same (waveform wave-form (wave adj form)) ((waveform wave-form (wave adj form)) same (correcting adjusting adjust)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:25
S62	65	inspecting adj ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:40

S64	20	(inspecting adj ink) and (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and (correct\$ adjust\$ alter\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49
S66	45	S62 not S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:40
S71	162	(ink) and (correct\$ adjust\$ alter\$) with (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and 347/19.ccls. and (measure measuring detect detecting sensing sense) with (waveform wave-form pulse (wave adj form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:10
S72	57	(ink) and (correct\$ adjust\$ alter\$) with (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and 347/19.ccls. and (measure measuring detect detecting sensing sense) with (waveform wave-form pulse (wave adj form)) and (formula equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 12:42
S76	22	(ink) and (correct\$ adjust\$ alter\$) with (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and 347/19.ccls. and (measure measuring detect detecting sensing sense) with (waveform wave-form pulse (wave adj form)) and (formula equation) and (driving with voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 09:40
S77	5	(ink) and (correct\$ adjust\$ alter\$) with (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and 347/19.ccls. and (measure measuring detect detecting sensing sense) with (waveform wave-form pulse (wave adj form)) and (formula equation) and (driving with voltage) and rank	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 09:40
S78	19	("4030588"   "4313124"   "4345262"   "4459600"   "4463359"   "4544931"   "4558333"   "4590484"   "4639746"   "4675692"   "4712172"   "4723129"   "4737860"   "4740796"   "4860034"   "4910528"   "5172142").PN. OR ("6067100").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 09:59

S79	1	(driving with (waveform wave-form (wave adj form))) same (rank) with resolution and (dyeing with agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:15
S82	9	ink same rank same resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 07:03
S84	23	ink same ((printhead print-head (print adj head)) same resolution) same (waveform wave-form (wave adj form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 08:00
S85	249	ink with (dyeing with agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 08:36
S89	184	(head printhead print-head (print adj head)) adj3 (inspection inspecting inspect) and ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 08:37
S90	88	(head printhead print-head (print adj head)) adj3 (inspection inspecting inspect) and ink and print	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:30
S92	25	347/15.ccls. and (waveform wave-form (wave adj form)) with (adjust adjusting correction correcting correct)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:32
S96	28	(ink) and (correct\$ adjust\$ alter\$) with (waveform pulse wave-form (wave adj form)) and (inkjet ink-jet (ink adj jet)) and 347/19.ccls. and (measure measuring detect detecting sensing sense) with (waveform wave-form pulse (wave adj form)) and (formula equation) and ((driving drive) with voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 09:41
S97	122	(ink) and (correct\$ adjust\$ alter\$) with (voltage) and (inkjet ink-jet (ink adj jet)) and ("347" "346").clas. and (measure measuring detect detecting sensing sense) with (voltage) and (formula equation) and ((driving drive) with voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 09:42

S98	187	(correct\$ adjust\$ alter\$) with (voltage) and ("347" "346").clas. and (measure measuring detect detecting sensing sense) with (voltage) and (formula equation) and ((driving drive) with voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:15
S10 1	157	(ink) with (oil uv ultraviolet) and ("347" "346").clas. and (waveform wave-form (wave adj form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:18
S10 2	144	(ink) with (oil uv ultraviolet) and ("347" "346").clas. and (waveform wave-form (wave adj form)) and \$head	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:19
S10 3	88	(ink) with (oil uv ultraviolet) and ("347" "346").clas. and (waveform wave-form (wave adj form)) and \$head and (measuring measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:02
S10 4	28	(ink) with (oil uv ultraviolet) and ("347" "346").clas. and ((driving drive) with (waveform wave-form (wave adj form))) and \$head and (measuring measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:24
S10 5	11	(ink) with (oil and (uv ultraviolet)) and ("347" "346").clas. and ((driving drive) with (waveform wave-form (wave adj form))) and \$head and (measuring measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:30
S10 8	7	((oil uv ultraviolet) adj ink) and ((driving drive) with (waveform wave-form (wave adj form))) and \$head and (measuring measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:38
S10 9	103	((standard base) adj ink) and ((inpecting inspection test testing) adj ink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:47
S11 0	5	((standard base) adj ink) and ((inpecting inspection test testing) adj ink) and (dyeing dying)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:13
S11 2	141	347/100.ccls. and (dye dyeing dying) same ink same (test inspection inspecting testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 08:14

S11 3	16	347/100.ccls. and (dye dyeing dying) same ink same (test inspection inspecting testing) same (base standard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:03
S11 5	448	347/100.ccls. and (dye dyeing dying) with agent with ink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:04
S12 0	51	manufacturing same head and (inkjet ink-jet (ink adj jet)) and ink and oil and (uv ultra-violet ultraviolet) and (waveform wave-form (wave adj form)) and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:04
S12 5	1	(printing with test) same (waveform wave-form (wave adj form)) with (driving drive) and rank	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 08:23
S12 6	17	(printing with test) same (waveform wave-form (wave adj form)) with (driving drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 08:59
S12 7	25	((print printing) with test) same (waveform wave-form (wave adj form)) with (driving drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 08:59